

# LAMPIRAN HASIL PERHITUNGAN REGRESI

## Regression

[DataSet0]

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	Kompetensi Auditor (X2), Integritas Auditor (X1) <sup>b</sup>	.	Enter

a. Dependent Variable: Kualitas audit internal (Y)

b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.873 <sup>a</sup>	.762	.750	.24809

a. Predictors: (Constant), Kompetensi Auditor (X2), Integritas Auditor (X1)

b. Dependent Variable: Kualitas audit internal (Y)

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	7.685	2	3.843	62.429	.000 <sup>b</sup>
	Residual	2.400	39	.062		
	Total	10.086	41			

a. Dependent Variable: Kualitas audit internal (Y)

b. Predictors: (Constant), Kompetensi Auditor (X2), Integritas Auditor (X1)

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
		B	Std. Error	Beta			Zero-order	Partial	Part
1	(Constant)	.540	.176		3.067	.004			
	Integritas Auditor (X1)	.354	.079	.457	4.476	.000	.783	.583	.350
	Kompetensi Auditor (X2)	.535	.108	.505	4.943	.000	.800	.621	.386


a. Dependent Variable: Kualitas audit internal (Y)

**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	1.5234	2.9149	2.3350	.43294	42
Std. Predicted Value	-1.875	1.339	.000	1.000	42
Standard Error of Predicted Value	.050	.100	.065	.013	42
Adjusted Predicted Value	1.4981	2.9154	2.3332	.43478	42
Residual	-.72829	.51781	.00000	.24197	42
Std. Residual	-2.936	2.087	.000	.975	42
Stud. Residual	-3.109	2.183	.003	1.022	42
Deleted Residual	-.81665	.56668	.00182	.26592	42
Stud. Deleted Residual	-3.538	2.300	-.011	1.093	42
Mahal. Distance	.694	5.650	1.952	1.281	42
Cook's Distance	.000	.391	.034	.078	42
Centered Leverage Value	.017	.138	.048	.031	42


a. Dependent Variable: Kualitas audit internal (Y)


## Charts



### Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Kualitas audit internal (Y)





## NPar Tests

[DataSet0]

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		42
Normal Parameters <sup>a,b</sup>	Mean	0E-7
	Std. Deviation	.24196688
Most Extreme Differences	Absolute	.190
	Positive	.108
	Negative	-.190
Kolmogorov-Smirnov Z		1.229
Asymp. Sig. (2-tailed)		.097

a. Test distribution is Normal.

b. Calculated from data.

## Nonparametric Correlations

[DataSet0]

			absr	Integritas Auditor (X1)	Kompetensi Auditor (X2)
Spearman's rho	absr	Correlation Coefficient	1.000	-.599**	.785**
		Sig. (2-tailed)	.	.000	.000
	Integritas Auditor (X1)	Correlation Coefficient	-.599**	1.000	.785**
		Sig. (2-tailed)	.000	.	.000
	Kompetensi Auditor (X2)	Correlation Coefficient	-.241	.785**	1.000
		Sig. (2-tailed)	.124	.000	.

\*\* . Correlation is significant at the 0.01 level (2-tailed).

b. Listwise N = 42

## Correlations

[DataSet0]

		Integritas Auditor (X1)	Kualitas audit internal (Y)
Integritas Auditor (X1)	Pearson Correlation	1	.783**
	Sig. (2-tailed)		.000
Kualitas audit internal (Y)	Pearson Correlation	.783**	1
	Sig. (2-tailed)	.000	

\*\* . Correlation is significant at the 0.01 level (2-tailed).

b. Listwise N=42

## Correlations

[DataSet0]

		Kompetensi Auditor (X2)	Kualitas audit internal (Y)
Kompetensi Auditor (X2)	Pearson Correlation	1	.800**
	Sig. (2-tailed)		.000
Kualitas audit internal (Y)	Pearson Correlation	.800**	1
	Sig. (2-tailed)	.000	

\*\* . Correlation is significant at the 0.01 level (2-tailed).

b. Listwise N=42

**Coefficients<sup>a</sup>**

Model		Collinearity Statistics	
		Tolerance	VIF
1	Integritas Auditor (X1)	.585	1.711
	Kompetensi Auditor (X2)	.585	1.711

a. Dependent Variable: Kualitas audit internal (Y)

**Collinearity Diagnostics<sup>a</sup>**

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	Integritas Auditor (X1)	Kompetensi Auditor (X2)
1	1	2.932	1.000	.01	.01	.00
	2	.050	7.694	.43	.62	.00
	3	.018	12.629	.57	.37	.99

a. Dependent Variable: Kualitas audit internal (Y)