

DAFTAR PUSTAKA

1. Ali, Dharma, Ady, (2008) :*Hubungan Getaran Seluruh Tubuh (Whole Body Vibration) dengan Gejala Gastrointestinal (dispesia) dan Upaya Penanggulangannya Pada Pekerja Penjualan (salesman) dan Pendukung (helper) PT X Bottling Indonesia*, Tesis,
2. Barbieri PG., (1993): Epidemic of Musculotendernous Pathologies of the upper limbs (Cumulative trauma Disorders) in Group of Assembly workers. Med Lav;487-500
3. B. R. Dewy , Introduction to Engineering Computing, , McGraw-Hill Primus, 1994, Hal. XL1-XL20.
4. Cannon L, Bernacki E, Walter S.,(1981):Personal and occupational factors associated with carpal tunnel syndrome, *Journal Occup Med*; 23: 255-8.
5. Dahlan, M. Sopiyudin, (2012) : Statistik untuk Kedokteran dan Kesehatan, Salemba Medika, Jakarta.
6. Dale, AM., Harris-Adamson, C., Rempel, D., Gerr, F., Hegmann, K., Silverstein, B., Burt, S., Garg, A., Kapellush, J., Merlino, L., Thiese, M.S., Eisen, E.A., Evanoff B. (2013): Prevalence and incidence of carpal tunnel syndrome in US working populations: pooled analysis of six prospective studies, *Scandinavian Journal of Work, Environment and Health*,39:495-505.
7. Davis Larry E., Molly K. King, Jessica L. Schultz,. (2005): Carpal tunnel syndromin Fundamentals of Neurologic Disease , *Demos Medical Publishing New York*: 61-63

8. Djarwanto, 1992, Soal Jawab Statistik, Liberty, Yogyakarta
9. E.Neal Moore (1934) : Theoritical Mechanics,University of Nevada
10. Fadhil, H. 2009. Laser Dapat Kurangi Nyeri pada Pergelangan Tangan. Diakses dari <http://www.republika.co.id>
11. Gemne, G., (1997): Diagnositis of Hand Arm System Disorders in Workers Who Use Vibrating Tools, *Occupational Environ Medicine*;54:54;90-5
12. Grafton, CH., (2009) : Carpal Tunnel Syndrome, CME Resources ;17(3);1-22.
13. Greenberg, MS., (1994) : Handbook of Neurosurgery, 3rd ed, Lakedland (Florida) : Greenberg Graphics;414-419.
14. Griffin, M.J., (2007): Negligent Exposures to Hand-Transmitted Vibration. *International Arch Occup Environ Health*, 81: 645–659
15. Harahap, Rusdiansyah., (2003) : Carpal Tunnel Syndrome, Cermin Dunia Kedokteran, No. 141.
16. Humantech, (1995) : Applied Ergonomics Training manual, Humantech.2nd.ed., Berkely Vale, Australia, Cetakan I, Surakarta: UNIBA Press (online),<http://enhs.umn.edu/2004injuryprevent/backinjury.html>
17. International Labour Organization, (1998) : Ergonomic Checkpoints, Genewa, ILO.

18. Jagga, V., Lehri, A., Verma, S.K., (2011) : Occupation and its association with Carpal Tunnel syndrome- A Review, *Journal of Exercise Science and Physiotherapy* Vol 7, No. 2 : 68-78.
19. Lemeshow, S., David W.H.H.Jr., (1997) : Besar Sampel dalam Penelitian Kesehatan (terjemahan), Gajahmada University Press, Yogyakarta.
20. Levy, Barry dan Wegman, David, (2000) : Occupational Health: Recognizing and Preventing Work-Related Disease and Injury, Fourth Edition, Philadelphia : Lippincott William and Wilkinds.
21. Mahoney, J.,(1995): Cumulative Trauma Disorders and Carpal Tunnel Syndrome;Sorting Out the Confusion ; 3;3;185-9
22. Moeliono, F., (1993) : Etiologi, Diagnosis dan Trapi Sindroma Terowongan Karpal (STK) atau Carpal Tunnel Syndrome (CTS), Neurona; 10:16-27.
23. Monsivais, J.J., Bucher, P.A., Monsivais, D.B., (1994) : Nonsurgically Treated Carpal Tunnel Syndrome in the Manual Worker, Plast, Reconstr, Surg;94:695.
24. Moore, E.N, (1934), Theoretical Mechanics, Johw wiley and Sons,New York.
25. Moore, J.S dan Grag, A., (1995) : The Strain Index : a Proposed Method to Analyze Jobs for Risk of Distal Upper Extremity Disorders, *American Industrial Hygiene Association Journal*.

26. Murray R.Spiegel, Advanced Calculus
27. National Institute for Occupational Safety and Health (NIOSH), (1997): *Musculoskeletal Disorders (MSDs) and Workplace Factors-Acritical Review of Epidemiologic Evidence for Work-Related Musculoskeletal Disorder of the neck, Upper Extremity and Low back.*
28. Pai, Mithun., (2014) : Symptoms of Carpal Tunnel Syndrome in a dental work force of a developing country, *International Journal of Advanced Research*, Vol 2, Issue, 87-94.
29. Permenaker Trans no. 13/MEN/X/2011, Nilai Ambang Batas Getaran
30. Pheasant, S., (1999) : Bodyspace: Anthropometry, Ergonomics and Design of Work, 2nd edition, London: Taylor and Francis.
31. Purnama, Ichsan (2015) :Analisis faktor-faktor yang berpengaruh terhadap Carpal Tunnel Syndrome pada pekerja industry garmen, tesis, Program S2 Teknik Lingkungan ITB
32. Putra, VGV., (2014), Pemodelan untuk Menetukan Hubungan twist terhadap nomor Bennag Nm padamesn Rotor OPE End Spinning menggunakan Meode Lagrange dan Komputasi Numerik, proceeding Indonesian Textile Conffeence, Vol.1, Hal 139-143.

33. Putra, VGV Rosyid, M.F (2015), Theoretical Modeling for Predicting The Optimm twist Angle of Cotton fiber Movemoent on OE Yar Made By Rotor Spinning Machine, Journal of Applied Mathematics and Physics, Vol 3, Hal 623-630.
34. Rahayu, R.P., (2011) : Hubungan Antara Paparan Getaran Lengan Tangan dengan Keluhan Kesehatan dan Faktor-Faktor yang mempengaruhi pada Supir Bajaj di Pasar Kebayoran Lama, Skripsi Program Studi S-1 Kesehatan Masyarakat UPN Jakarta.
35. Rahayu, Seri. K., H. Norhidayah., Halim, Isa., dan Hui, Hui C., (2014) : Effect of Working Posture and Hand Grip for Carpal Tunnel Syndrome among Aerospace Workers, *International Journal of Mechanical and Mechantronics Engineering IJMME-IJENS* Vol : 14 No : 01.
36. Rambe, A.S., (2004) : Sindroma Terowongan Karpal. Bagian Neurologi FK USU, <http://repository.usu.ac.id/bitstream/123456789/3459/1/penysaraf-aldi2.pdf> diakses 6 April 2013
37. Rohmah,Siti, (2013) : Analisis Faktor-faktor Yang Berhubungan Dengan Carpal Tunnel Syndrome (CTS) Pada Pekerja Konveksi Di Sentra Kaos Suci Kota Bandung, *Tesis Program Studi Magister Teknik Lingkungan ITB*, Bandung.

38. Rusdi,Yusuf, (2010) : Hubungan antara Getaran Mesin Produksi Dengan Carpal Tunnel Syndrome, *Jurnal Ilmu Kesehatan Masyarakat, Fakultas Ilmu Keolahragaan*, Universitas Negeri Semarang.
39. Salter, RB., (1983) : Texbook of Disorders and Injuries of the Musculoskeletal System, 2nd, Baltimore; William dan Wilkin Co;274-275.
40. Silverstein, BA, Fin, LJ, (1987) : Occupational Factors and CTS, *American Journal of Industrial Medicine*:11;343-58
41. Sluiter J.K., Frings-Dresen MHW., Van der Beek, A.J., Meijman, T.F., (2001) : The Relation Between Work-induced Neuroendocrine Reactivity and Recovery, Subjective Need for Recovery and Health Status, *Journal of Psychomatic Research*, 50:29-37.
42. Suma'mur, P.K., (1996) : Hygiene Perusdahaan dan Keselamatan kerja, Cetakan 13, Haji Masagung, Jakarta.
43. Tan, HC., Horn, SE., (1998) : Practical Manual of Physical Medicine and Rehabilitation, St. Louis, Mosby.

44. Tana, Lusianawaty, (2003) : Sindrom terowongan karpal pada pekerja : pencegahan dan pengobantannya, *Jurnal Kedokteran Trisakti* September – Desember vol 22 No 3.
45. Tana, Lusianawaty., Halim, FX. S., Delima., Ryadina, W., (2004) : Carpal Tunnel Syndrome Pada Pekerja Garmen di Jakarta, *Buletin Penelitian Kesehatan* Vol 32 No 2 : 73-82.
46. Tana, Lusianawaty., (2009) : Evaluasi Model Penyuluhan Dalam Peningkatan Pengetahuan, Sikap dan Praktek Mengenai Sindrom Terowongan Karpal Pada Pekerja Beberapa Perusahaan Garmen Di Jakarta Tahun 2004, *Media penelitian dan Pengembangan Kesehatan* Vol XIX Nomor 3.
47. Tanaka, S., Deanna, KW., Seligman PJ., (1995) : Prevalence and Work-related of Self Reported Carpal Tunnel Syndrome Among U.S Worker: Analysis of Occupational Health Supplement Data of 1988 National Health Interview Survey, *American Journal of Industrial Medicine*; 27:451-470.
48. Tarwaka, Solichul HA. Bakri, Sudajeng, Lilik., (2004) : *Ergonomi untuk Kesehatan dan Keselamatan Kerja dan Produktivitas*, UNBA Press, Surakarta.
49. Viera, (2003) : Management of carpal tunnel syndrome, *American Academy of Family Physicians* ;68 (2):265-272.
50. Wijaya, C., (1995) : Deteksi Dini Penyakit Akibat Kerja, Jakarta ECG.

51. World Health Organization, (2004) : *Appropriate body mass index for Asian population and its implication for policy and intervention strategis*, Lancet, 363;157-63