

A New Appreacd To Solve Multiple Traveling Salesmen Problem By Clonal Selection Algorithm

by Dr.ayi Purbasari. St.,mt. Turnitin Paper -publikasi 9

Submission date: 19-Oct-2021 11:50AM (UTC+0700)

Submission ID: 1677823258

File name: 9ANEWA_1.PDF (3.19M)

Word count: 4153

Character count: 23920


International Journal of

ISSN 0973-4562

APPLIED ENGINEERING RESEARCH

Volume 9,
Number 21,
2014

Editor-in-Chief
Prof. Ir Dr Mohd Sapuan Salit



RIP Research India Publications

<http://www.ripublication.com>

International Journal of Applied Engineering Research

ISSN 0973-4562

Editor-in-chief:

Prof. Ir Dr Mohd Sapuan Salit

Head, Department of Mechanical and Manufacturing Engineering
Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia

Editorial Board Members:

Zaki Ahmad, Saudi Arabia
Rajeev Ahuja, Sweden
Shigeru Aoki, Japan
Osama Badr, Qatar
Sayavur I. Bakhtiyarov, USA
Fatma Abou-Chadi, Egypt
Ching-Yao Chen, Taiwan
G.Q. Chen, China
B.T.F. Chung, USA
Tariq Darabseh, Jordan
Nihad Dib, Jordan
Marcelo J.S. De Lemos, Brazil
Mohammed Salifu, Ghana
Dimitris Drikakis, United Kingdom
M.R. Eslami, Iran
A.S. Al-Harthy, Australia.
F. Hayati, UAE
Annette Bussmann-Holder, Germany
Naser S. Al-Huniti, Jordan
M.A.K. Jaradat, Jordan
S.Z. Kassab, Egypt
M.Y. Khalil, Egypt
Bashar El-Khasawneh, Jordan
Y.A. Khulief, KSA
Kazuhiko Kudo, Japan
A. A. Mohamad
A. A. Mowlavi, Iran.
Ihab Obaidat, UAE
H.M. Omar, Saudi Arabia
K.K. Pathak, India
Huihe QIU, Hong Kong
K. R. Rajagopal, U.S.A.

D. Ramkrishna, USA
Allan Runstedtler, Canada
Ismail Shahin, United Arab Emirates
Ashraf Shikdar, Oman
S.A. Soliman, Qatar
JinHo Song, Korea
H.H. El-Tamaly, Egypt.
Bassam A. Abu-Nabah, USA
B.M. Vaglieco, Italy
Dimitri V. Val, Israel
Guo-Xiang Wang, USA
Huimin Xie, China
Mohamed Younes, UAE
Ahmed Sahin, Saudi Arabia
Samir Medik, Saudi Arabia
Meamer El Nakla, KSA
Adel Taha Mohamed Abbas, Saudi Arabia
Wan Aizan Wan Abd Rahman, Malaysia
Prof Dr Zulkifli Yusop, Malaysia
Tachtouch Bourhan, Saudi Arabia
Abdul Razak Rehmat, Malaysia
M. A. Habib, Saudi Arabia.
Fahd A. Alturki, Saudi Arabia
Prof. Abdullah M. Al-Shaalan, Saudi Arabia
Zeeshan Nawaz, KSA.
Mir Iqbal Faheem, India
M. Venkata Ramana, India
Srinivas Mantha, India.
Damodar Maity, India
Sellakkutti Rajendran, Singapore
Giriprasath Gururajan, USA.
Ram Shanmugam, USA.

Published by

RIP Research India Publications

Head Office: B-2/84, Ground Floor, Rohini Sector-16, Delhi-110089, INDIA

Tel No.: 91-11-65394240 Fax No.: +91-011-27297815

Website: www.rippublication.com E-mail: info@rippublication.com

International Journal of Applied Engineering Research

<http://www.rippublication.com/ijaer.htm>

Aim and Scope

The **International Journal of Applied Engineering Research (IJAER)** is an international research journal, which publishes top-level work from all areas of Engineering Research and their application including Mechanical, Civil, Electrical, Chemical, Electronics, Mathematics and Geological etc. Researchers in all technology and engineering fields are encouraged to contribute articles based on recent research. Journal publishes research articles and reviews within the whole field of Engineering Research, and it will continue to provide information on the latest trends and developments in this ever-expanding subject.

It aims to disseminate knowledge; provide a learned reference in the field; and establish channels of communication between academic and research experts, policy makers and executives in industry, commerce and investment institutions

Audience: Mechanical, aeronautical, chemical, civil, electronics, mathematic, geology, electrical.

Frequency of Publication: One Volume with twelve issues per year.

Submission of Manuscripts

Authors are strongly urged to communicate with one of the Associate Editors or the Editor-in-Chief: Prof. Ir Dr Mohd Sapuan Salit, Department of Mechanical and Manufacturing Engineering, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia E-Mail: IJAEReditor@gmail.com before submitting an article and furnish a one-page outline of the proposed article and information as to its type, audience, and probable length (limit 25 Journal pages). The final decision on publication is made by the Editor-in-Chief upon recommendation of an Associate Editor and / or an Editorial Board Members.

Please visit the journal's home pages at <http://www.rippublication.com/ijaer.htm> for details of aims and scope, readership, instruction to authors and publishing procedure and table of contents. Use website to order a subscription, reprints, a sample copy or individual articles.

Subscription Information

Subscription orders may be directed to the publisher or contact your preferred subscription agent.

Regular subscription price

US\$580/Libraries and US\$360/Individual (Outside India)

Rs.5500/Libraries and Rs.1800/Individual (Inside India)

Publisher: All business correspondence, enquires and subscription orders should be addressed to Editorial Office

Research India Publications

B-2/84, Ground Floor,

Rohini Sector-16,

Delhi-110089, INDIA

Fax No.: +91-011-27297815

Email: info@rippublication.com

Website: www.rippublication.com

© 2014 Research India Publication, India

Printed in India

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorization of the publisher.

Contents

- Performance & Analysis of Non-Invasive Screening & Discrimination of Skin Images for Early Melanoma Detection** 10991-11004
¹A. Raishabanu, ²Dr. M. Anto Bennet, ³S. Lokesh and ⁴R. Srinath
- A New Approach to Solve Multiple Traveling Salesmen Problem by Clonal Selection Algorithm** 11005-11017
Ayi Purbasari¹, Iping Supriana Suwardi², Oerip Santoso³ and Rila Mandala⁴
- An Implementation of Storage Provisioning in Private Cloud** 11019-11027
Tarun Kumar.K.S¹, Vignesh Kumar.P² and M.Lawanya Shri³
- Reduction of Chamfer Width Variation in Epicyclic Ring Gear Manufacturing using Pareto Analysis** 11029-11037
Adhishree Agarwal, Ravi Sekhar, Sarfaraj Shaikh, Ismail Akbani and Nitin S. Solke*
- Evaluation of Similarity Measures in a Medical Image Retrieval System** 1039-11052
i
- Fusion Using Quasi-Linearization Technique for the Neyman-Pearson based T2TA in Multi Sensor Data Fusion** 11053-11066
J. Valarmathi¹, D. S. Emmanuel¹ and S. Christopher²
- Studies on Surface Roughness of Al-SiC Composites Machined by Powder-Mixed EDM** 11067-11077
Dr. Khalid Hussain Syed^[1] and G P Anuraag^[2]
- Investigation on TZ-Source Based AC-AC Converter System for Wind Energy Conversion** 11079-11091
S. Balakumar¹ and B. Baskaran²

A Novel Method of Using Mobile Signals for Vehicular Traffic Management 11093-11110

¹Prof. P. M. Xavier and ²Prof. Dr. Raju Nedunchezian

Automated Defect Detection in Metal Surface based on Difference of Gaussian Filtering Approach 11111-11120

*N.Vimalraj^{#1} and Dr B Giriraj^{*2}*

Effect of Car Emissions on Human Health and the Environment 11121-11128

Ogur, E. O.¹ and Kariuki, S.M.¹

Control of the Game Skills for a Robot Soccer from Global Vision System 11129-11142

C.A. Cifuentes[†], M.J. Suarez^{††}, C.A. Rodriguez[†], L.E. Rodriguez[‡] and A. Frizera[†]

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/269043477>

A New Approach to Solve Multiple Traveling Salesmen Problem by Clonal Selection Algorithm

Article in International Journal of Engineering Research · November 2014

CITATION

1

READS

475

1 author:



Ayi Purbasari
Universitas Pasundan

20 PUBLICATIONS 19 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Paralel clonal selection algorithm [View project](#)

A New Approach to Solve Multiple Traveling Salesmen Problem by Clonal Selection Algorithm

Ayi Purbasari¹, Iping Supriana Suwardi², Oerip Santoso³ and Rila Mandala⁴

^{1,2,3,4}*School of Electrical Engineering and Informatics,
Bandung Institute of Technology*
¹*pbasari@unpas.ac.id*, ²*iping@informatika.org*, ³*oerip@informatika.org*,
⁴*rila@informatika.org*

Abstract

The Multiple Traveling Salesman Problem (m-TSP) is a generalization of the Traveling Salesman Problem (TSP) in which more than one salesman is allowed. Given a set of cities, one depot (where m salesmen are located), and a cost metric, the objective of the m-TSP is to determine a set of routes for m salesmen so as to minimize the total cost of the m routes. Clonal Selection Algorithm (CSA) is a popular algorithm from Artificial Immune System (AIS) that using population based and selection that is inspired from Clonal Selection Theory. In this paper, a clonal selection based algorithm was proposed for solving the m-TSP. This algorithm was implemented using Java language with dataset from TSP Lib and could show m-TSP solutions within various datasets. In particular, this paper shows representation for tour and salesmen, and also shows several techniques for cloning and hypermutation phase. The best technique is using mutation in tour representation, and also salesmen number. This paper also shows that best cost is obtained with lowest number of salesmen. Furthermore, using this proposed algorithm for all versions of the vehicle routing problem is suggested for future research.

Keywords: Clonal Selection Algorithm, Artificial Immune System, multi-Travelling Salesperson Problem (m-TSP).

INTRODUCTION

The multiple Traveling Salesman Problem (m-TSP) is a generalization of the well-known Traveling Salesman Problem (TSP) which is a combinatorial optimization problem. There are one or more salesmen can be used in the solution. The objective of the m-TSP is to determine a set of routes for m salesmen so as to minimize the total cost of the m routes in a set of cities, one depot (where m salesmen are located), and a

cost metric[1]. The cost metric represents distance, time, or cost. All of the routes must start and end at the (same) depot and each city must be visited exactly once by only one salesman.

The m-TSP is a generalization of the TSP; if the value of m is 1, then the m-TSP problem is the same as the TSP. Therefore, all of the formulations and solution approaches for the m-TSP are valid for the TSP. TSP is already a complex NP-complete problem, there are several heuristic optimization algorithms, like genetic algorithms (GAs) need to take into account[1]. GAs is known as bio-inspired algorithms. that are techniques to improve computational techniques by mimicking natural system and achieving similar desirable properties of the natural system.

Artificial immune systems (AIS) is a promising biological inspired computation based on metaphor and abstraction from theoretical of the vertebrate immune system[2]. The field of AIS encompasses a spectrum of algorithms that exist inspired by the behavior and properties of immunological cells, specifically B-cells, T-cells and dendritic cells (DCs). AIS became a class of computationally intelligent systems, bridging between immunology and engineering. There are three classes of AIS algorithms derived from more simplified models: clonal selection, negative selection, and immune networks. Clonal Selection Algorithms (CSA) is the popular algorithms from AIS that using population based and selection that is inspired from Clonal Selection Theory [3] This CSA are using for pattern recognition and optimization problem. Clonal Selection Algorithm (CSA) as heuristic optimization algorithm is promising to solve TSP problem[4].

To solve m-TSP problem, CSA requires special representation and interpretable encoding to ensure efficiency. The aim of this paper is to review how Clonal Selection Algorithms can be applied to solve m-TSP problem and propose a novel, easily interpretable representation based CSA.

The paper is organized as follows. Section II reviews literature consist of m-TSP and the clonal selection principle and algorithm. Section III contains implementation of clonal selection algorithms to solve m-TSP. Section IV briefly discusses the result of the algorithm implementation. Section V concludes the paper.

Literature Review

Multiple Traveling Salesmen Problem (M-Tsp)

The traveling salesman problem have various approaches to solve, from exact algorithms e.g use integer linear programming approaches with additional constraints, to near-optimal or approximate algorithms e.g. neural network or tabu search [5]. The m-TSP is much less studied like TSP. There are several exact algorithms of the m-TSP based on branch-and-bound algorithm or cutting planes [5],

The m-TSP problem is defined on a graph $G = (V,A)$, where V is the set of n nodes (vertices) and A is the of arcs (edges). $C = (c_{ij})$ be a cost (distance) matrix associated with A . The matrix C is symmetric if $c_{ij} = c_{ji}, \forall (i, j) \in A$. Here $x_{ij} \in \{0,1\}$ is a binary variable used to represent that an arch is used on the tour and c_m represents the cost of the involvement of one salesman in the solution.

Here are the mathematical formulation for m-TSP problem[5]:

$$\begin{aligned}
 \min \quad & \sum_{i=1}^n \sum_{j=1}^n c_{ij} x_{ij} + mc_m \\
 & \sum_{j=2}^n x_{1j} = m \\
 & \sum_{j=2}^n x_{j1} = m \\
 & \sum_{i=1}^n x_{ij} = 1, j = 2, \dots, n \\
 & \sum_{j=1}^n x_{ij} = 1, i = 2, \dots, n \\
 & X_{ij} \in \{0, 1\} \forall (i, j) \in A
 \end{aligned}$$

Here is the example of m-TSP with 3 salesmen and one depot:

Király and Abonyi stated many approaches applied to find solution, including heuristic approaches published by Russel, Potvin et al, and Hsu et al [5]. Zhang et al using GAs for the solution of m-TSP. Lately GAs is used for the solution of m-TSP too[5]. The first result can be bound to Zhang et al. converts the m-TSP into a single TSP and apply a modified GA to solve the problem. It was used for hot rolling scheduling[5].

When using GAs techniques, there are several representations of m-TSP, like one chromosome technique, the two chromosome technique and the latest two-part chromosome technique[1]. Each of the previous approaches has used only a single chromosome to represent the whole problem, although salesmen are physically separated from each other. Some research use GA with modified [6][7]. Both of them improved the best known solution. [5] proposed new representation of chromosome and review how genetic algorithms can be applied to solve these problems and propose a novel, easily interpretable representation based GA.

The Proposed Clonal Selection algorithm (CSA)-Based Approach to Solve the M-TSP

Clonal Selection Algorithms

Over the last few years, there has been an ever-increasing interest in the area of artificial immune systems (AIS) and their applications [8] [9]. AIS uses ideas gleaned from immunology in order to develop adaptive systems capable of performing a wide range of tasks in various areas of research. AIS algorithms are inspired from acquired immune response[2]. The clonal selection theory is a theory used to describe the functioning of acquired immunity, specifically the diversity of antibodies used to defend the organism from invasion[4]. This theory postulated by Burnet (1957), stated that antibodies production is the selection process triggered by antigens as their

enemies. The theory specifies that the organism have a pre-existing pool of heterogeneous antibodies that can recognize all antigens with some level of specificity[4]. An antibody then chemically binds to the antigen if its receptors matched to an antigen. This chemically binding causes the cell to clone, replicate and produce more cells with the same receptor. During the cloning stage, cells genetic mutations occur and promote the match or affinity with the antigen. This allows the binding ability of the cells to improve with time and exposure to the antigen. The clonal selection theory has been inspiring deCastro and Von Zuben to create clonal selection algorithms name ClonalG[4].

ClonalG is used to find solution for TSP problem. This approach is used by M. Bakhouya and J. Gaber to improve solution for TSP problem[9]. Chingtham[10] using this algorithm to find new solution for TSP problem.

Due successful to solve TSP problem, this paper will review how CSA algorithms can be applied to solve these problems and propose a novel, easily interpretable representation based CSA.

The proposed algorithms

This figure below show the workflow of the Clonal Selection Algorithm technique:

The theory specifies that the organism have a pre-existing pool of heterogeneous antibodies that can recognize all antigens with some level of specificity[4] [8]. An antibody then chemically binds to the antigen if its receptors matched to an antigen. This chemically binding causes the cell to clone, replicate and produce more cells with the same receptor. During the cloning stage, cells genetic mutations occur and promote the match or affinity with the antigen. This allows the binding ability of the cells to improve with time and exposure to the antigen.

CSA starts from a group of initial solutions called the initial population[11] [4]. Furthermore, affinity maturation is used to evaluate the performance of the solutions. Each time best solutions are chosen from the population according to the selection probability which is proportional to their affinity value. The best solutions are cloned and then hypermutated to produces new solutions of the next generation. These new solutions will replace the old solutions if they have better affinity. This procedure continues until reached a stop condition.

Immune Engineering

Immune engineering is the process mapping between the immune system and the problem[9]. Here is the mapping between TSP problems with the CSA algorithm as follows:

- Population initiated randomly of all possible solutions in form TSP tours and its cost (there are $n!/2$ Hamiltonian circuit, with n is vertices number). Total population defined as initial variable.
- There is a function to select affinity which represented as minimum tour's cost. High affinity presented as low cost. Number of selections is defined as initial variable.
- There is a function of cloning and hypermutation, to clone a number of

selected population and then hypermutate the population. The number of copies defined as initial variable. Hypermutation of population copies done in accordance to affinity value. The higher value will give lower possibility to undergo mutation. Then cloned and mutated population added to the initial

- Population for further selection process. The population with the best cost will be chosen while the rest are ignored.
- The steps above will be repeated until stopping criterion is satisfied. Stopping criterion can be: a maximum iteration number, selection results were converged, or all of the tour had been finished evaluated.

CSA for Solving m-TSP

According to example of TSP dataset in TSP Lib [11], CSA using initial population with this representation:

In m-TSP, we will use two-part representation Part one is representation of tour and part two is representation of salesmen as figure 3. The tour for TSP and m-TSP above can be seen below:

After population initialization, next step is evaluation and selection. Evaluation function that used in m-TSP is same as evaluation function in TSP e.g a total minimum tour’s cost from each subtour’s cost. The best cost then selected for cloning and hypermutation phase. This phase is using the same principle with TSP. The best cost from cloning and hypermutation phase then replace the population. This procedure is repeated until stop condition. Further mathematical formulation for evaluation function and cloning phase can be found in[4].

When cloning procedure is taken, here’s an example of a population cloned:

After that, hypermutation is taken by swapping nodes in a population. In this paper, we will present five techniques to do hypermutation as follows:

Table 1 Five techniques for hypermutation phase

No	Representation	Description
1		Hypermutation is taken by swapping nodes in a tour population.
2		Hypermutation is taken by swapping salesmen’s number of node.
3		Hypermutation is taken by swapping nodes in a tour population and salesmen’s number of node.
4		Hypermutation is taken by re-randomized salesmen’s number of node.

5		Hypermutation is taken by swapping nodes in a tour population and re-randomized salesmen's number of node
---	--	---

Implementation and Experiment Design

Implementation

This section describes the implementation of CSA for m-TSP problem. We used Java and the program is developed using Toshiba Portege Z935, Processor Intel® Core™ i5-3317* CPU@1.70GHz. Using memory 4GB, 64-bit Operating System and Windows 7, The m-TSP datasets are taken from TSPLIB [11]. This research is using burma14.tsp and vrp64.vrp dataset.

Experimental Design

Experiments performed with the following steps: 1) Determination of the parameters, 2) Determination of the dataset, 3) Determination of the analysis of experimental results. In this experiment, set the value of the static parameters: 1) Population size (N) = 50; 2) The size of the selection (n) = 10; 3) The value of cloning factor (β) = 0.1; 4) The value of the mutation factor (ρ) 2.5; 5) Random size for replacement (d) = 5.

Stopping criteria consisted of: the number of generations, convergence, achieving optimum value. In implementation, the stopping criteria are the number of generations and set statically, ie 1000 generations. We set number of generation from 10, 100, and 1000 generations.

With the parameters that have been set, this result is using vrp64.vrp dataset. We determine number of salesmen, from 2 until 34 salesmen. After the experiments performed, taken to the analysis: 1) Best cost for each dataset for numerous cloning and hypermutation technique. We use static number of salesmen and a maximum number of nodes that a salesman can visit; 2) Best cost for each dataset for various number of salesmen and various number of nodes that a salesman can visit.

Result and Discussion

This section provides the result of experiment:

Experiment for numerous hypermutation techniques:

In the following graph, we can see that a best cost of the best tour is obtained by clone and hypermutation technique number 5. The hypermutation is taken by swapping some nodes and the salesmen's number of nodes are re-randomized. The worst best cost is taken by swapping or re-randomized salesmen's number of nodes, without tour mutation.

Using vrp64.vrp dataset, we gain a different result. The best cost is obtained by tour mutation without mutation for salesmen's number of nodes or re-randomized.

The worst best cost is obtained by swapping or re-randomized salesmen's number of nodes, without tour mutation.

This is following graph is showing the best cost of the best tour:

Using hypermutation technique number 5, we obtained a route for each salesman. Figures below show nodes represent cities and five routes for each salesman:

This is the resume for vrp64 experiments. Best cost obtained is 2497 with five salesmen and five routes for each salesmen. The tour can be seen in figure 8:

Experiment for numerous number of salesmen:

The pictures below show best cost obtained for Burma14.tsp and vrp64vrp datasets, with several number of salesmen:

As we can see, both graphs above show that best cost obtained with lowest number of salesmen. Greater number of salesmen will improve best cost achieved.




Figure 1Solving m-TSP with 3 salesmen




Figure 2 Clonal Selectin Algorithm




Figure 3 Example of two-part representation with 14 nodes and three salesmen



Figure 4 Example of a population with 14 nodes and node #0 as depot




Figure 5 Figure 5 Tour optimal for mTSP with Burma14.tsp dataset




Figure 5An example of a population cloned




Figure 6 Clone and Hypermutation for Burma14 dataset




Figure 7 Clone and Hypermutation for vrp64




Figure 8 best cost for vrp64.vrp for various number of salesmen




Figure 9 best cost for burma14.tsp with various number of salesmen




Figure 10 Best Tour for Vrp64 dataset with 5 salesmen

Discussion

In this paper, a clonal selection based algorithm was proposed for solving the M-TSP. This algorithm is can show solution for M-TSP in various datasets. In particular, this paper shows representation for tour and salesmen, and also shows several techniques for cloning and hypermutation phase. The best technique is using mutation in tour representation, and also salesmen number. This paper also show that best cost obtained with lowest number of salesmen. Furthermore, using this proposed algorithm for all versions of the vehicle routing problem is suggested for future research.

Acknowledgment

I would like to thank Dr. IpingSuwardi, Dr. dr. Oerip Santoso, Dr. Rila Mandala from School of Electrical and Informatics(STEI) InstitutTeknologi Bandung (ITB) forhelping the research. I would like to thank Department of Informatics and Technical Faculty of Universitas Pasundan (Unpas) Bandung for all support.

References

- [1] Arthur E Carter, "Design and application of genetic algorithms for the multiple traveling salesperson assignment problem," Virginia Polytechnic Institute and State University, PhD Thesis 2003.
- [2] Jonathan Timmis and Leandro Nunes Castro, *Approach, Artificial Immune Systems: A New Computational*. London: Springer Verlag, 2002.
- [3] Kulturel-Konak S Ulutas BH, "A Review of Clonal Selection Algorithm and Its Applications," *Artificial Intelligence Review*, 2011.
- [4] Leandro N. de Castro and Fernando J. Von Zuben, "Learning and Optimization Using the Clonal Selection Principle," *IEEE Transactions On Evolutionary Computation*, vol. 6, no. 3, pp. 239-251, June 2002.
- [5] András Király and Abonyi János, "A Novel Approach to Solve Multiple Traveling Salesmen Problem by Genetic Algorithm," *Computational Intelligence in Engineering*, pp. 141-151, 2010.
- [6] Varunika Arya, Amit Goyal, and Vibhuti Jaiswal, "An Optimal Solution to Multiple Travelling Salesperson Problem using Modified Genetic Algorithm," *International Journal of Application or Innovation in Engineering & Management*, vol. 3, no. 1, January 2014.
- [7] Mohammad Sedighpoura, Majid Yousefikhoshbakht, and Narges Mahmoodi Darani, "An Effective Genetic Algorithm for Solving the Multiple Traveling Salesman Problem," *Journal of Optimization in Industrial Engineering*.
- [8] Alsharhan S, J.R. Al-Enezi. Abbod MF, "Artificial Immune Systems – Models, Algorithms and Applications," *International Journal of Research and Reviews in Applied Science (IJRRAS)*, pp. 118-131, May 2010.
- [9] Jonathan Timmis, "Artificial Immune Systems-Today and Tomorrow," *Natural Computing*, vol. 6, no. 1, pp. 1-18, 2006.

- [10] Gaber J Bakhouya M, "An Immune Inspired-based Optimization Algorithm : Application to the Traveling Salesman Problem," *AMO-Advanced Modeling and Optimization*, vol. 9, no. 1, pp. 105-116., 2007.
- [11] Tejbanta Singh Chingtham, "Optimization of Path Finding Algorithm Using Clonal Selection: Application to Traveling Salesperson Problem," *International Journal of Computer Theory and Engineering*, vol. 2, no. 2, pp. 1793-8201, April 2010.
- [12] Jason Brownlee, "Clonal Selection Algorithms," Complex Intelligent Systems Laboratory, Centre for Information Technology Research,, Faculty of Information Communication Technology, Swinburne University of Technology, Melbourne, Australia, Technical 2009.
- [13] TSPLIB. [Online]. <http://www.iwr.uni-heidelberg.de/groups/comopt/software/TSPLIB95/tsp/>

International Journal of Applied Engineering Research

VOLUME 9

NUMBER 21

2014

A New Apprecd To Solve Multiple Traveling Salesmen Problem By Clonal Selection Algorithm

ORIGINALITY REPORT

19%

SIMILARITY INDEX

9%

INTERNET SOURCES

11%

PUBLICATIONS

9%

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

5%

★ Wu, Jia, Zhihua Cai, Xiaolin Chen, Shuang Ao, and Yongshan Zhang. "Attribute Weighting via Differential Evolution for Attribute Weighted Clonal Selection Algorithm", Journal of Computers, 2012.

Publication

Exclude quotes On

Exclude matches Off

Exclude bibliography On